LOX Hazards Quick Reference

Sections

Non Precipitation Hazards	5. Coastal Hazards	9. Tsunami Hazards
2. Winter Hazards	6. Marine Hazards	10. Other Hazards
3. Hydrologic Hazards	7. Severe / Convective Hazards	
4. Fire Weather Hazards	8. Tropical Hazards	

General Guidelines

Confidence	Coverage	Update Cycle:
 Warning: 80-100% 	• Local: 1-32%	Warning: 6 hours
 Advisory: 80-100% 	Areas: 33-66%	Advisory: 6 hours
 Watch: 50-100% 	 Widespread 67-100% 	Watch: 8-12 hours

Non Precipitation Hazards (Back To Top) Channel Islands Zones 549 and 550: Only High Wind Warnings issued

Hazard	Crite	<u>*</u>	Time Window		Notes
Air Quality & Visibility					
Air Stagnation Advisory (AS.Y) NPWLOX	Weather conditions that natural ventilation for with potentially p	a period of days,	0 – 2 hrs		
Ashfall Advisory (AF.Y) NPWLOX	Airborne ash plume res the surface, either dire eruption or from s significant amou	ctly from a volcanic uspension of a	0 – 2 hrs		
Dense Fog Advisory (FG.Y) NPWLOX	Areas of visibility to for a period of 3		0 – 36 hrs		
Dense Smoke Advisory (SM.Y) NPWLOX	Widespread visibility due to s	moke	0 – 36 hrs		
Dust Storm Warning (DS.W) NPWLOX	Widespread visibility due to blow	ring dust	0 – 2 hrs		
Blowing Dust Advisory (DU.Y) NPWLOX	Widespread visibility blowing		0 – 36 hrs		
		Fro	st & Freeze		
Zones 36, 37, 1 st and 2 nd each season Anytime Apr 1 t	Nov 1 to Mar 31		10, 41, 44, 45, 46, 54 ue any time of year.	7, 548, 87, 88:	Zones 51, 52, 53, 54: Never issue freeze warnings.
Hard Freeze Warning (HZ.W) NPWLOX	Surface tempera for two or more co over a widesp	nsecutive hours pread area	0 – 36 hrs		
Hard Freeze Watch (HZ.A) NPWLOX	Surface tempera for two or more co over a widesp	nsecutive hours	12 – 48 hrs		
Freeze Warning (FZ.W) NPWLOX	Surface temperat for two or more co over a widesp	nsecutive hours pread area	0 – 36 hrs		
Freeze Watch (FZ.A) NPWLOX	Surface temperat for two or more co over a widesp	nsecutive hours pread area	12 – 48 hrs		
Frost Advisory (FR.Y) NPWLOX	Surface temperat for two or more co over a widesp	nsecutive hours	0 – 36 hrs		

Excessive Heat Warning (EH.W) NPWLOX	HeatRisk (Red to Magenta) over large area	0 – 36 hrs	For more information on the HeatRisk Program: https://goo.gl/Z1mK85
Excessive Heat Watch (EH.A) NPWLOX	HeatRisk (Red to Magenta) over large area possible	12 – 72 hrs	
Heat Advisory (HT.A) NPWLOX	HeatRisk (Orange to Red) over large area	0 – 36 hrs	
High Wind Warning (HW.W) NPWLOX	Areas of winds for more than 1 hour: Coastal/Valley Zones: Wind Sus >= 40 mph or Gst >= 58 mph Mountain/Desert Zones (Below 7000ft):	0 – 36 hrs	
	Wind Sus >= 45 mph or Gst >= 58 mph Mountain/Desert Zones (Above 7000ft):		
	Wind Sus >= 55 mph or Gst >= 75 mph		
High Wind Watch (HW.A) NPWLOX	Areas of winds for more than 1 hour: Coastal/Valley Zones: Wind Sus >= 40 mph or Gst >= 58 mph Mountain/Desert Zones (Below 7000ft):	12 – 48 hrs	
	Wind Sus >= 45 mph or Gst >= 58 mph Mountain/Desert Zones (Above 7000ft):		
	Wind Sus >= 55 mph or Gst >= 75 mph		
Wind Advisory (WI.Y) NPWLOX	Areas of winds for more than 1 hour Coastal/Valley Zones: Wind Sus >= 30 mph or Gst >= 35 mph	0 – 36 hrs	
	Mountain/Desert Zones: Wind Sus >= 35 mph or Gst >= 45 mph		

Winter Hazards (Back To Top) Channel Islands Zones 549 and 550: No Winter Hazards issued

Hazard	Criteria	Time Window	Notes
Blizzard Warning (BZ.W) WSWLOX	Sustained winds >=35 mph Visibility <= 1/4 mile Snow and blowing snow expected for 3 hours or more	0 - 36 hrs	
Blizzard Watch (BZ.A) WSWLOX	Sustained winds >=35 mph Visibility <= 1/4 mile Snow and blowing snow expected for 3 hours or more	12 - 72 hrs	
Freezing Rain Advisory (ZR.Y) WSWLOX	Light Icing: Accrual of ice up to 1/4 inch thick due to freezing rain or drizzle	0 - 36 hrs	
Ice Storm Warning (IS.W) WSWLOX	Significant Icing: Accrual of ice of 1/4 inch or more due to freezing rain	0 - 36 hrs	
Wind Chill Warning (WC.W) WSWLOX	Wind chill values <= -20 F	0 - 36 hrs	
Wind Chill Watch (WC.A) WSWLOX	Wind chill values <= -20 F	12 - 72 hrs	
Wind Chill Advisory (WC.Y) WSWLOX	Wind chill values -19 F to -10 F	0 - 36 hrs	
Winter Storm Warning (WS.W) WSWLOX	Heavy Snow Accumulation Mountain zones (Above 7000 ft): 12" in 12 hrs or 18" in 24 hrs Mountain zones (Below 7000 ft): 8" in 12 hrs or 12" in 24 hrs All Other Zones: 4" in 12 hrs or 6" in 24 hrs -OR- Sleet Accumulation >= 1/2 inch -OR- Any snow accumulations AND High Wind Warning Criteria	0 - 36 hrs	
Winter Storm Watch	Heavy Snow Accumulation	12 - 72 hrs	

(WS.A) WSWLOX	Mountain Zones (Above 7000 ft): 12" in 12 hrs or 18" in 24 hrs Mountain Zones (Below 7000 ft): 8" in 12 hrs or 12" in 24 hrs All Other Zones: 4" in 12 hrs or 6" in 24 hrs -OR- Sleet Accumulation >= 1/2 inch -OR- Any snow accumulations AND High Wind Warning Criteria		
Winter Weather Advisory (WW.Y) WSWLOX	Snow Accumulation Mountain Zones: 4-7" in 12 hrs Zones 37, 38, 59: 1-3" in 12 hrs All Other Zones: Dusting to 3" in 12 hrs -OR- Sleet Accumulation <= 1/2 inch -OR- Visibility <= 1/4 mile from blowing snow with sustained winds <= 35 mph	0 - 36 hrs	

Hydrologic Hazards (Back To Top)

Hazard	Criteria	Time Window	Notes
Hydrologic Outlook ESFLOX	There is a >=50% chance of a storm system bringing flooding or flash flooding to the area	36 - 96 hrs	
Flood Warning (FL.W) FLWLOX	Mainstem river or tributary flow rates exceed the flood flow rate guidance -OR- The magnitude of the flood changes to a higher category (i.e., minor to moderate, moderate to major) -OR- A dam has failed in such a way that the release of water will cause the downstream river to slowly rise	0 – 2 hrs	
Flood Watch (FA.A) FFALOX	A threat of mainstem river flooding -OR- Flooding that is hazardous to either life or property, or will cause a great amount of flood related problems	0 – 36 hrs	
Flood Advisory (FA.Y) FLSLOX	Nuisance flooding that causes minor inconveniences (urban flooding from poor drainage, minor flooding of low-lying areas)	0 – 2 hrs	
Flood Statement FLSLOX	Updates, cancellations, or subtraction of areas to Flood Warnings or Advisories	0 – 2 hrs	
Flash Flood Warning (FF.W) FFWLOX	Flash flooding that poses a threat to life and/or property -OR- USGS Debris Flow flash flood guidance reached -OR- Dam or levee failure	0 – 2 hrs	
Flash Flood Watch (FF.A) FFALOX	>=50% chance of Flash flooding that poses a threat to life and/or property -OR- >=50% chance of USGS Debris Flow flash flood guidance reached -OR- >=50% chance of Dam or levee failure	0 – 36 hrs	

Flash Flood Statement	Updates, cancellations, or subtraction of	0 – 2 hrs	
FFSLOX	areas to Flash Flood Warnings		
Hydrologic Statement	CNRFC issues a river forecast product		
RVSLOX	(RNORVFRSA) that indicates an		
	observed or forecast river stage/flow at		
	or above Flood Stage/Flow		

Fire Weather Hazards (Back To Top) Channel Islands Zones 549 and 550: No Fire Weather Hazards issued

Hazard	Criteria	Time Window	Notes
Red Flag Warning (FW.W)	Dry Fuels AND:	0 – 48 hrs	
RFWLOX	Zone 59:		
	RH <= 15% AND		
	Wind Sustained >= 25 mph		
	AND Duration 8+ hours		
	-OR-		
	Forecaster discretion in coordination		
	with GACC or local agency		
	All Other Zones:		
	RH <= 15% AND		
	Wind Sus >= 25 mph or Gst >= 35 mph		
	AND Duration 6+ hours -OR-		
	RH <= 10% AND		
	Wind Sus >= 15 mph or Gst >= 25 mph		
	AND Duration 6+ hours		
	-OR-		
	Widespread or significant dry lightning		
	-OR-		
	Forecaster discretion in coordination		
	with GACC or local agency		
Fire Weather Watch	Red Flag Warning Conditions possible	18 - 96 hrs	
(FW.A)	(See Above)		
RFWLOX			

Coastal Hazards (Back To Top) Channel Islands Zones 549 and 550: No Coastal Hazards issued

Hazard	Criteria	Time Window	Notes
Coastal Flood Warning	Damaging coastal flooding.	0 - 36 hrs	
(CF.W)	See Criteria Matrix in Marine SDM for		
CFWLOX	water level & surf thresholds		
Coastal Flood Watch	Potential for damaging coastal flooding.	24 – 48 hrs	
(CF.A)	See Criteria Matrix in Marine SDM for		
CFWLOX	water level & surf thresholds		
Coastal Flood Advisory	Minor but impactful coastal flooding.	0 - 36 hrs	
(CF.Y)	See Criteria Matrix in Marine SDM for		
CFWLOX	water level & surf thresholds		
High Surf Warning	Areas of surf:	0 - 36 hrs	
(SU.W)	Zones 34, 35: Surf >= 20 ft		
CFWLOX	Zones 39, 40, 41, 87 >= 15 ft		
High Surf Advisory	Areas of surf:	0 - 36 hrs	
(SU.Y)	Zones 34, 35: Surf >= 10 ft		
CFWLOX	Zones 39, 40, 41, 87 >= 7 ft		
Beach Hazards Statement	Elevated rip current and jetty dangers	0 - 48 hrs	
(BH.S)	on a High Impact day -OR-	2 – 5 day	
CFWLOX	Long range outlook for high confidence	(outlook)	
	High Surf or Coastal Flooding.		
	See Criteria Matrix in Marine SDM for		
	water level & surf thresholds		

Marine Hazards (Back To Top)

Hazard	Criteria	Time Window	Notes
Hurricane Force Wind Warning	Sustained Wind or Gusts >= 64 kt	0 – 24 hrs	
(HF.W)	for 2 hrs or more		
MWWLOX Hurricane Force Wind Watch	Sustained Wind or Gusts >= 64 kt	12 - 48 hrs	
(HF.A)	for 2 hrs or more	12 - 40 1115	
MWWLOX	161 2 1116 61 111616		
Storm Warning	Sustained Wind or Gusts 48 - 63 kt	0 - 24 hrs	
(SR.W)	for 2 hrs or more		
MWWLOX	0.445.4.100.4.0.40.00.14	40 40 1	
Storm Watch (SR.A)	Sustained Wind or Gusts 48 - 63 kt for 2 hrs or more	12 - 48 hrs	
(SK.A) MWWLOX	Tot 2 fils of filore		
Gale Warning	Sustained Wind or Gusts 34 - 47 kt	0 - 24 hrs	
(GL.W)	for 2 hrs or more		
MWWLOX			
Gale Watch	Sustained Wind or Gusts 34 - 47 kt	12 - 48 hrs	
(GL.A) MWWLOX	for 2 hrs or more		
Small Craft Advisory	Sustained Wind or Gusts 21 - 33 kt	0 - 24 hrs	
(SC.Y)	for 2 hrs or more -OR-		
MWWLÓX	Hazardous Sea Conditions		
Small Craft Advisory For	Hazardous Sea Conditions:	0 - 24 hrs	
Hazardous Seas	Seas >= 10 ft @ any period -OR-		
(SW.Y) MWWLOX	Seas >= 9 ft @ period <= 9 sec -OR- Seas >= 8 ft @ period <= 8 sec -OR-		
WWWWEOX	Seas >= 7 ft @ period <= 7 sec -OR-		
	Seas >= 6 ft @ period <= 6 sec -OR-		
Marine Weather Statement	SMW Supplements -OR-	0 - 24 hrs	
MWSLOX	General Convective Potential -OR-	2 – 5 day	
	Northeast Wind at Avalon Harbor -	(outlook)	
	OR- Breaking Waves at Harbors -OR-		
	Widespread Dense Fog -OR-		
	Tsunami Events Details -OR-		
	Hazardous Materials Spills -OR-		
	Coastal Flooding Affecting Harbors		
	-OR-		
	Extended Outlook for Warning		
	Conditions		

Severe Weather/Convection Hazards (Back To Top)

Hazard	Criteria	Time Window	Notes
Severe Thunderstorm Warning	Hail Diameter >= 1" -OR-	0 – 2 hrs	
(SV.W)	Convective Winds >= 58 mph -OR-		
SVRLOX	Severe Wind Damage Reports		
Severe Thunderstorm Watch	SPC issues a Severe Thunderstorm	0 – 48 hrs	
(SV.A)	Watch Outline Statement		
WCNLOX			
Tornado Warning	A tornado is sighted, reported by a	0 – 2 hrs	
(TO.W)	reliable source, or indicated to be likely		
TORLOX	occurring or forming in radar data		
Tornado Watch	SPC issues a Severe Thunderstorm	0 – 48 hrs	
(TO.A)	Watch Outline Statement		
WCNLOX			
Severe Weather Statement	Follow-up product for Severe	0 – 2 hrs	
(SV.S)	Thunderstorm and Tornado Warnings		
SVSLOX			
Significant Weather Advisory	For organized strong thunderstorms	0 – 2 hrs	
SPSLOX	that are expected to remain below		
	severe limits.		

Tropical Cyclone Hazards (Back To Top)

Hazard	Criteria	Time Window	Notes
Hurricane Local Statement HLSLOX	Tropical Prediction Center places any part of the WFO LOX county warning area under a Tropical Storm or Hurricane Watch or Warning or Evacuation Order -OR-	0 – 2 hrs	
	To dispel rumors or clarify tropical cyclone information affecting the WFO LOX county warning area (MIC or AMIC approved)		

Tsunami Hazards (Back To Top)

Hazard	Criteria	Time Window	Notes
Tsunami Warning	NTWC in Alaska issues a Tsunami	0 – 2 hrs	
SPSLOX	Warning for any part of the LOX WFO.		
	(Water rise >= 3.3 ft)		
Tsunami Watch	NTWC in Alaska issues a Tsunami	0 – 2 hrs	
SPSLOX	Watch for any part of the LOX WFO.		
Tsunami Advisory	NTWC in Alaska issues a Tsunami	0 – 2 hrs	
SPSLOX	Advisory for any part of the LOX WFO.		
	(Water rise 1.0 to 3.2 ft)		

Other Hazard Related Products (Back To Top)

Hazard	Criteria	Time Window	Notes
Hazardous Weather Outlook HWOLOX	Summary of weather hazards affecting or expected to affect the WFO LOX		
HWOLOX	area during the next 7 days.		
Short Term Forecast	Ongoing or forecast weather	0 – 6 hrs	
NOWLOX	conditions less than warning or		
	advisory criteria expected		
Special Weather Statement	Significant or unusual weather event(s)	1 – 3 days	
SPSLOX	forecast to occur		